

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L2	0	"7187658".pn. and wired	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L3	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L4	1	"20050066033" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L5	14284970	@ad< "20030924" @rlad< "20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L6	2104	select\$3 with best with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L7	989	L6 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L8	622	L7 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L9	137	L8 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

L10	124	L9 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L11	254	L6 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L12	660	L6 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L13	124	L11 and L12 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L14	72677	(network near5 select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L15	122664	(wireless wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L16	23940	(wireless and wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L17	2408	L14 and L16 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L18	103	L17 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L19	1	"6714540".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

L20	1	"6223261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L21	0	"20050080754" and occurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L22	1	"20050080754" and stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L23	52	"5121390"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L24	13	((stop disable cease\$1) with receiv\$3 with (interrupt)) same (establish\$3 near2 (communication connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L25	1	"6760799".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L26	30	("5161226"   "5163152"   "5218703"   "5317747"   "5363506"   "5606703"   "5708814"   "5768630"   "5842078"   "5881296"   "5905913"   "5983275"   "6021446"   "6038607"   "6065089"   "6070219"   "6115779"   "6195725"   "6219727"   "6233643"   "6266732"   "6351785"   "6370607"   "6389526"   "6467008"   "6615342").PN. OR ("6760799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L27	3958436	@ad< "20011213" @rlad< "20011213"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L28	28	L26 and L27	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L29	27	L28 and interrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08

L30	17	L29 and communication	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L31	3	L29 and ((communication connection) with establish \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L32	461	stop with receive with interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L33	265	L32 and L27	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L34	117	stop near5 receive near5 interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L35	86	L34 and L27	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L36	319504	(communication connection) with establish\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L37	81	stop near5 (receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L38	1	L36 same L37	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L39	7643	(receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L40	1423	L36 and L39	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L41	25	L36 same L39	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L42	16	L41 and L27	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L43	26561	(communication connection) near15 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L44	19525	(communication connection) near5 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

L45	13548	L44 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L46	14196	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L47	7436	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L48	1	"20050066033"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L49	1	"7187658".pn. and (query obtain\$3 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L50	0	"200200462952"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L51	1	"20020046292"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L52	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L53	0	"7187658".pn. and wired	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L54	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

L55	1	"20050066033" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L56	14284970	@ad<"20030924" @rlad<"20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L57	2104	select\$3 with best with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L58	989	L57 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L59	622	L58 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L60	137	L59 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L61	124	L60 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L62	254	L57 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L63	660	L57 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L64	124	L62 and L63 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

L65	72677	(network near5 select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L66	122664	(wireless wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L67	23940	(wireless and wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L68	2408	L65 and L67 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L69	103	L68 and L57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L70	1	"6714540".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L71	1	"6223261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L72	0	"20050080754" and occurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L73	1	"20050080754" and stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L74	52	"5121390"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

L75	13	((stop disable cease\$1) with receiv\$3 with (interrupt)) same (establish\$3 near2 (communication connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L76	1	"6760799".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L77	30	("5161226"   "5163152"   "5218703"   "5317747"   "5363506"   "5606703"   "5708814"   "5768630"   "5842078"   "5881296"   "5905913"   "5983275"   "6021446"   "6038607"   "6065089"   "6070219"   "6115779"   "6195725"   "6219727"   "6233643"   "6266732"   "6351785"   "6370607"   "6389526"   "6467008"   "6615342").PN. OR ("6760799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L78	3958436	@ad< "20011213" @rlad< "20011213"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L79	28	L77 and L78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L80	27	L79 and interrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L81	17	L80 and communication	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L82	3	L80 and ((communication connection) with establish \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L83	461	stop with receive with interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L84	265	L83 and L78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L85	117	stop near5 receive near5 interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L86	86	L85 and L78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08



L87	319504	(communication connection) with establish\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L88	81	stop near5 (receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L89	1	L87 same L88	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L90	7643	(receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L91	1423	L87 and L90	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L92	25	L87 same L90	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L93	16	L92 and L78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
L94	26561	(communication connection) near15 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L95	19525	(communication connection) near5 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L96	13548	L95 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L97	14196	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
L98	7436	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S1	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:50

S2	0	"7187658".pn. and wired	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:50
S3	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:51
S4	1	"20050066033" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:52
S5	14224902	@ad< "20030924" @rlad< "20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:52
S6	1944	select\$3 with best with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:54
S7	877	S6 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:53
S8	581	S7 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:53
S9	131	S8 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:55
S10	119	S9 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:55
S11	221	S6 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:55

S12	581	S6 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S13	119	S11 and S12 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S14	68200	(network near5 select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S15	108871	(wireless wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S16	20808	(wireless and wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S17	2268	S14 and S16 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:03
S18	98	S17 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:16
S19	1	"6714540".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:18
S20	1	"6223261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:23
S21	0	"20050080754" and occurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:23

S22	1	"20050080754" and stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:26
S23	52	"5121390"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:28
S24	13	((stop disable cease\$1) with receiv\$3 with (interrupt)) same (establish\$3 near2 (communication connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:33
S25	1	"6760799".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:33
S26	29	("5161226"   "5163152"   "5218703"   "5317747"   "5363506"   "5606703"   "5708814"   "5768630"   "5842078"   "5881296"   "5905913"   "5983275"   "6021446"   "6038607"   "6065089"   "6070219"   "6115779"   "6195725"   "6219727"   "6233643"   "6266732"   "6351785"   "6370607"   "6389526"   "6467008"   "6615342").PN. OR ("6760799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:34
S27	3939022	@ad< "20011213" @rlad< "20011213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:34
S28	27	S26 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:35
S29	27	S28 and interrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:35
S30	17	S29 and communication	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:35
S31	3	S29 and ((communication connection) with establish \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:48
S32	452	stop with receive with interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:49

S33	264	S32 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:49
S34	113	stop near5 receive near5 interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:51
S35	86	S34 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:51
S36	304827	(communication connection) with establish\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:51
S37	78	stop near5 (receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S38	1	S36 same S37	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S39	7344	(receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S40	1351	S36 and S39	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S41	25	S36 same S39	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S42	16	S41 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S43	25730	(communication connection) near15 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 15:12
S44	18978	(communication connection) near5 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 15:12
S45	13390	S44 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:06
S46	12885	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:06

S47	6834	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:06
S48	1	"20050066033"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 13:15
S49	1	"7187658".pn. and (query obtain\$3 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 13:36
S50	0	"200200462952"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 14:44
S51	1	"20020046292"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 14:45
S52	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S53	0	"7187658".pn. and wired	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S54	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S55	1	"20050066033" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S56	14284970	@ad< "20030924" @rlad< "20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01

S57	2104	select\$3 with best with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S58	989	S57 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S59	622	S58 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S60	137	S59 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S61	124	S60 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S62	254	S57 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S63	660	S57 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S64	124	S62 and S63 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S65	72677	(network near5 select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S66	122664	(wireless wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01

S67	23940	(wireless and wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S68	2408	S65 and S67 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S69	103	S68 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S70	1	"6714540".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S71	1	"6223261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S72	0	"20050080754" and occurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S73	1	"20050080754" and stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S74	52	"5121390"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S75	13	((stop disable cease\$1) with receiv\$3 with (interrupt)) same (establish\$3 near2 (communication connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S76	1	"6760799".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01



S77	30	("5161226"   "5163152"   "5218703"   "5317747"   "5363506"   "5606703"   "5708814"   "5768630"   "5842078"   "5881296"   "5905913"   "5983275"   "6021446"   "6038607"   "6065089"   "6070219"   "6115779"   "6195725"   "6219727"   "6233643"   "6266732"   "6351785"   "6370607"   "6389526"   "6467008"   "6615342").PN. OR ("6760799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S78	3958436	@ad< "20011213" @rlad< "20011213"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S79	28	S77 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S80	27	S79 and interrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S81	17	S80 and communication	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S82	3	S80 and ((communication connection) with establish \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S83	461	stop with receive with interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S84	265	S83 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S85	117	stop near5 receive near5 interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S86	86	S85 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S87	319504	(communication connection) with establish\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S88	81	stop near5 (receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S89	1	S87 same S88	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S90	7643	(receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01

S91	1423	S87 and S90	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S92	25	S87 same S90	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S93	16	S92 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S94	26561	(communication connection) near15 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S95	19525	(communication connection) near5 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S96	13548	S95 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S97	14196	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S98	7436	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01

3/31/2008 4:14:23 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\10669750.wsp